



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

HQ - Corporación BH, S.C.

Sierra del Fraile # 117, Col. Arroyo Seco, Monterrey, Nuevo León, México C.P. 64740

Site - Etalons S.A. de C.V.

Rio Panuco #3508, Monterrey Nuevo León, México C.P. 64740

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Dimensional Inspection ***(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

August 14, 2012

August 06, 2018

October 31, 2020

Accreditation No.:

Certificate No.:

73706

L18-369

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjllabs.com



Certificate of Accreditation: Supplement

Site - Etalons, S.A de C.V

Rio Panuco #3508

Monterrey Nuevo León, México C.P. 64740

Contact Name: Roberto Benitez Phone: 818-398-2950

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Dimensional Inspection ^{FO}	Dimensional Artifacts 3-Axis Volumetric and Linear Displacement	Measurement of Parts Geometrically Dimensioned and Tolerance (GD&T)	ASME Y 14.5	Faro Arm X = 1 200 mm Y = 1 200 mm Z = 1 200 mm (Res.= 0.001 mm)

- The presence of a superscript FO means that the laboratory performs testing of the indicated parameter both at its fixed location and onsite at customer locations. Example: Outside Micrometer^{FO} would mean that the laboratory performs this testing at its fixed location and onsite at customer locations.

